UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING	DATE '	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/600,300	7590 01/03/2008		Jeffrey P. Whittemore	ZIP-0008	7713
V(11 0 O 11				EXAMINER	
Mills & Onello, LLP Suite 605			·	BAXTER, GWENDOLYN WRENN	
Eleven Beacon Street Boston, MA 02108				ART UNIT	PAPER NUMBER
200.011, 1111 02				3632	
				MAIL DATE	DELIVERY MODE
				01/03/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	A 1141 M-	A . 10 4/a)					
,	Application No.	Applicant(s)					
	10/600,300	WHITTEMORE ET AL.					
Office Action Summary	Examiner	Art Unit					
	Gwendolyn Baxter	3632					
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	TE OF THIS COMMUNICATION 6(a). In no event, however, may a reply be timil apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. hely filed the mailing date of this communication. D (35 U.S.C. § 133).					
Status							
1) Responsive to communication(s) filed on 11 Oc	ctober 2007.						
2a) This action is FINAL . 2b) ⊠ This	This action is FINAL . 2b)⊠ This action is non-final.						
3) Since this application is in condition for allowan	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.							
Disposition of Claims		•					
4)⊠ Claim(s) <u>1-16,20-38 and 48-50</u> is/are pending in the application.							
4a) Of the above claim(s) is/are withdrawn from consideration.							
5)⊠ Claim(s) <u>48-50</u> is/are allowed.							
6)⊠ Claim(s) <u>1-9,11-16,20-31 and 33-38</u> is/are rejected.							
7)⊠ Claim(s) <u>10 and 32</u> is/are objected to.							
8) Claim(s) are subject to restriction and/or election requirement.							
Application Papers							
9) The specification is objected to by the Examiner	·.						
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).							
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
Priority under 35 U.S.C. § 119							
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of:							
1. Certified copies of the priority documents have been received.							
2. Certified copies of the priority documents have been received in Application No							
3. Copies of the certified copies of the priority documents have been received in this National Stage							
application from the International Bureau (PCT Rule 17.2(a)).							
* See the attached detailed Office action for a list of the certified copies not received.							
·							
Attachment(s)							
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 4) Interview Summary (PTO-413) Paper No(s)/Mail Date							
3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 10/24/07.	5) Notice of Informal P						

10/600,300 Art Unit: 3632

This is the sixth Office Action for application serial number 10/600,300, Partition Mount with Extended-Length Head filed June 20, 2004. Claims 1-16, 18, 20-38, 43, and 45-47 are pending.

Withdrawal of Allowability

Upon review of the art of record and upon discovery of additional art the previous allowance of claims have been withdrawn and the following action taken. Any inconvenience is regretted.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1-5, 7-9, 11, and 15-16 are rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent No. 6,490,749 to Morad in view of U.S. Patent No. 6,718,589 to Kimbro and U.S. Patent 3,197,169 to Burrows. Morad teaches a mount comprising an elongated body (20), a curtain interface (14) and a coupler (18). The elongated body has a longitudinal axis. The curtain interface is coupled to an upper surface of the body. The coupler is adapted for coupling the elongated body to a mounting member (9). Additionally, the coupler includes an interface (34, 42) adapted

10/600,300 Art Unit: 3632

to receive a mounting member. The coupling positioned of the coupler is adjustable over a range of positions relative to the longitudinal axis of the body. The curtain interface is a compressible material selected from the group consisting of foam, polyurethane foam, extruded vinyl and rubber strips, namely foam. The body comprises a U-shaped slot rail (24), wherein the curtain interface is mounted in the slot. The coupler is removably mountable to the body. Quick-release arms (32) engage a feature on the body for removably mounting the coupler to the body. The position of the coupler on the body can be adjusted variably. A mounting member comprises a mounting pole (9), wherein the interface is adapted to receive the mounting pole. A length of the body is substantially greater than a width of the body. The mounting member comprises a pole for mounting to the coupler, wherein the body is rotatable relative to the pole, when the coupler is threadedly engaging the interface. However, Morad fails to teach the mounting pole including a compression mechanism along a longitudinal axis thereof and fails to teach the length of the elongated body being at least one foot.

Kimbro teaches a mount comprising an elongated body (11), a curtain interface (12), a coupler (14) and a mounting member (15, 16). The mounting member comprises a pole for mounting to the coupler that is adjustable in length. The mounting pole includes a compression mechanism (20) along a longitudinal axis thereof. It would have been obvious to one having ordinary skill in the art at the time the invention was made to have modified the mounting member as taught by Morad to have incorporated the mounting member as taught by Kimbro, as mere substitution of functionally

10/600,300 Art Unit: 3632

equivalent parts for the purpose of providing a mounting member that is extendable. Additionally, it would have been an obvious matter of design choice to have made the body one foot, since such a modification would have involved a mere change in the size of a component. A change in size is generally recognized as being within the level of ordinary skill in the art. However, Morad in view of Kimbro fails to teach the mounting member to be fixed between a first surface of a room and a second surface of a room such that when the mounting member is under compression between the first and second surfaces of the room to retain the mounting member and body in a fixed position relative to the first and second surfaces of the room.

Burrows teaches a device having a mounting member (11) including a guard (12) attached to the free end of the mounting member such that when the device is lean against a wall (the first surface) the position of the device is maintained relative to the floor (the second surface). It would of been obvious to one having ordinary skill in the art at the time the invention was made to have modified the mount as taught by Morad in view of the Kimbro to have incorporated the guard as taught by Burrows for the purpose of preventing marring of the walls when the mount is lean against that surface (column 1, line 13+).

Claim 6 is rejected under 35 U.S.C. 103(a) as being unpatentable over Morad in view of Kimbro and Burrows, as applied to claims 1-5, 7-9, 11 and 15-17, in further view of U.S. Patent No. 4,077,083 to Siemund. Morad in view of Kimbro and Burrows teaches the limitations of the base claim, including the elongated body, namely the rails

10/600,300 Art Unit: 3632

being made from plastic. However, Morad in view of Morad and Burrows fails to teach the rail of the elongated body comprising an extrusion.

Siemund teaches an elongated body (14) being made from a unitary piece of plastic. The elongated body is made by a method of molding or extruding. It would have been obvious to one having ordinary skill in the art at the time the invention was made to have modified the method by which the elongated body including the rails are made as taught by Morad in view of Kimbro and Burrows to have incorporated the extrusion as taught by Siemund providing an alternate method of making the elongated plastic body.

Claims 12-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Morad in view of Kimbro and Burrows and in further view of U.S. Patent No. 3,433,510 to Hulterstrum. Morad in view of Kimbro and Burrows teaches the limitations of the base claim, excluding the ball and socket joint.

Hulterstrum teaches a mounting comprising a coupler that includes one of a ball (24) and a socket joint (22) for receiving a corresponding one of a socket and a ball joint of the mounting pole (12). Additionally, the coupler further includes a retainer (50) for preventing lateral rotation of the body relative to the mounting pole. The ball joint of the mounting pole further includes a flange (62) having a flat surface. It would have been obvious to one having ordinary skill in the art at the time the invention was made to have modified the coupler as taught by Morad in view of Kimbro and Burrows to have incorporated the ball and socket joint as taught by Hulterstrum for the purpose of

10/600.300

Art Unit: 3632

providing swivel structure enabling the joined parts to be rigidly interconnected in a wide range of possible relative orientations.

Claims 20-26, 28-31, and 33-38 are rejected under 35 U.S.C. 103(a) as being unpatentable over Morad in view of Kimbro, Burrows and Hulterstrum, as applied to claims 12-14, and in further view of U.S. Patent No. 5,551,115 to Newville. Morad in view of Kimbro, Burrows and Hulterstrum teaches the limitations of the base claim, excluding the coupler limiting lateral rotation of the body relative to the pole, while permitting rotation of the body relative to the pole in another direction of rotation.

Newville teaches a coupler having a socket (20) and ball configuration (22). The coupler limits lateral rotation of the body relative to the pole when the pole is received and extends between members (20). See column 2, lines 20+. Additionally, the coupler permits rotation of the body relative to the pole in another direction of rotation. See column 2, lines 15+. It would have been obvious to one having ordinary skill in the art at the time the invention was made to have modified the pole as taught by Morad in view of Kimbro, Burrows and Hulterstrum to have incorporated the teaching of the socket as taught by Newville for the purpose of cleaning or scrubbing in especially relatively narrow spaces or to align the elongated body in a horizontal alignment to facilitate scrubbing of relatively wide spaces.

Regarding claim 37, Morad in view of Kimbro, Burrows, Hulterstrum and Newville teaches the limitations of the base claim, excluding the length of the elongated body being at least one foot. It would have been an obvious matter of design choice to have made the body one foot, since such a modification would have involved a mere

10/600,300 Art Unit: 3632

change in the size of a component. A change in size is generally recognized as being within the level of ordinary skill in the art.

Regarding claim 38, the coupler (20) comprises a hinge (22) that rotatably couples the body relative to the pole as shown by Newville.

Claim 27 is rejected under 35 U.S.C. 103(a) as being unpatentable over Morad in view of Kimbro, Burrows, Hulterstrum and Newville, and in further view of Siemund.

Morad in view of Kimbro, Burrows, Hulterstrum and Newville teaches the limitations of the base claim, including the elongated body, namely the rails being made from plastic. However, the references fail to teach the rail of the elongated body comprising an extrusion.

Siemund teaches an elongated body (14) being made from a unitary piece of plastic. The elongated body is made by a method of molding or extruding. It would have been obvious to one having ordinary skill in the art at the time the invention was made to have modified the method by which the elongated body including the rails are made as taught by Morad in view of Hulterstrum, Newville to have incorporated the extrusion as taught by Siemund providing an alternate method of making the elongated plastic body.

Allowable Subject Matter

Claims 10 and 32 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Art Unit: 3632

Claims 48-50 are allowed.

Response to Arguments

Applicant's arguments with respect to claims have been considered but are moot in view of the new grounds of rejection.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gwendolyn Baxter whose telephone number is 571-272-6814. The examiner can normally be reached on Monday-Wednesday, 8:30am - 3:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's acting supervisor, Brian Glessner can be reached on 571-272-6843. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

10/600,300 Art Unit: 3632

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571/272-1000.

Gwendolyn Baxter Primary Examiner

Art Unit 3632

December 22, 2007